


Notes.

- Ladders shall be hot dip galvanized after fabrication, etch primed and painted orange to match existing.
- Decking shall be  $1\frac{1}{2}$ " deep x  $1\frac{1}{2}$ " square mesh Fibre Reinforced Plastic (FRP) molded grating supplied by Fiberglass Ltd., email dshear@fiberglass.com. Complete with all clips and fixings.
- Decking shall be cut on site to fit around various pipes, fittings, equipment and handrail base plates.
- All steelwork is to be hot dip galvanized after fabrication.
- All weld are to be  $\frac{1}{4}$ " fillet welds except full penetration butt welds where specified.
- Unless otherwise stated holes are  $\frac{3}{16}$ " dia. for  $\frac{1}{2}$ " dia bolts
- All bolts, nuts washers and threaded rods shall be galvanised, zinc plated or sheradised.
- See drawing 10 for handrail details
- Installation will involve working around and through operating equipment. Extreme care shall be exercised.



PROJECT NUMBER:  
31-355

PROJECT NAME:  
**TYNES BAY WTE FACILITY  
EXPANSION**  
New Turbine Building  
TYNES BAY  
31 PALMETTO ROAD  
DEVONSHIRE

SHEET TITLE:  
**ACCESS PLATFORMS  
Platform 6, ladder & Deck details**

SHEET NUMBER:

**STGP - 11 Rev - 0**